EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	149	S3 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:15
S3	512	(query with geographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:15
S7	70	S6 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:17
S6	227	(keyword or query) with (geographic adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:17
S10	7	"896602".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:54
S11	6	"896602".ap. and (geographic or location or locate or determin$4 or store or database$1 or keyword$1 or match$4 or result$1 or perceivable or requestor or query or user$1 or resolv$4 or solicit$4 or display$4 or filter$4 or sort$4 or geocode$1 or term$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:55
S9	3	"286187".ap. and (geographic or location or locate or determin$4 or store or database$1 or keyword$1 or match$4 or result$1 or perceivable or requestor or query or user$1 or resolv$4 or solicit$4 or display$4 or filter$4 or sort$4 or geocode$1 or term$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:55

EAST Search History

S12	45566	search same (more with than with one result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:44
S14	39793	(search with result$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:45
S13	0	search same (((more with than) with one) with result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:45
S16	10514	S14 and (determin$4 with result$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:46
S15	0	S14 and (determin$4 with result41)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:46
S17	0	S16 and (more adj than)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:01
S19	6	"386228".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:02
S20	0	S19 and (disable or choose or override or overrding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:03

EAST Search History

S18	0	"386228".ap. and (disable or choose or override or overrding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:03
S21	1	"279445".ap. and (disable or choose or override or overrding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:05
S22	1	"425098".ap. and (disable or choose or override or overrding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:11
S25	185	S24 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:13
S23	0	"896602".ap. and (disable or choose or override or overrding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:13
S28	13	"L16" and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:15
S24	1549	search same (disable or override)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:15
S30	4	search same (disable same override)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:18

EAST Search History

S27	16	search same (disable and override)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:18
S32	0	S20 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:19
S34	0	S26 and (overrid$5 same disabl$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:20
S33	0	S26 and (overrid$5 with disabl$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:20
S26	134	S25 and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:26
S36	3	"334256".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:35
S35	52	S26 and disable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 15:35
S37	3	"448110".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 11:55

S38	3068845	predetermined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:50
S39	1630751	predetermined and (result$1 or match$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:53
S41	4921	S40 and (search adj engine$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:54
S40	583564	S39 and (geographic$4 or location$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:54
S43	1807	parameter$1 near2 binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:23
S45	52	S44 and (parameter adj binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:45
S48	1	"6314562".pn. and (parameter or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:47
S47	1	"6745384".pn. and (parameter or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:47

S46	6	("0029211"|"6185556"|"6339772").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:18
S50	1	"6185556".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:19
S49	2	"6339772".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:19
S51	2	"6185556".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:22
S52	8	"915868".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:40
S54	6	"347996".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:41
S53	3	"347998".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:41
S55	8	"347995".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:42

S56	6	"347994".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:43
S57	2	"6363371".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:37
S58	5	bind?in and bind?out	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:32
S62	143	S61 and database$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:33
S61	209	S60 and parameter$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:33
S65	2	"6006220".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:23
S64	2	"5257366".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:23
S63	53	S62 and bind$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 10:23

S67	2	"6339772".pn. and (compil or bind or optimiz or convert or converting or convert$5 or generat$5 or transform$5 or translat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:14
S68	1	"6363371".pn. and (compil or bind or optimiz or convert or converting or convert$5 or generat$5 or transform$5 or translat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:16
S66	4	"915868".ap. and (compil or bind or optimiz or convert or converting or convert$5 or generat$5 or transform$5 or translat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:50
S70	27	"5875334".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:51
S69	2	"5875334".pn. and (compil or bind or optimiz or convert or converting or convert$5 or generat$5 or transform$5 or translat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:58
S72	1	"6985904".pn. and (compil or bind or optimiz or convert or converting or convert$5 or generat$5 or transform$5 or translat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:02
S73	2	"6564354".pn. and (compil or bind or optimiz or convert or converting or convert$5 or generat$5 or transform$5 or translat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:04
S74	2	"6567816".pn. and (compil or bind or optimiz or convert or converting or convert$5 or generat$5 or transform$5 or translat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:14

S75	1	"6249783".pn. and (compil or bind or optimiz or convert or converting or convert$5 or generat$5 or transform$5 or translat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:16
S76	1	"6199201".pn. and (compil or bind or optimiz or convert or converting or convert$5 or generat$5 or transform$5 or translat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:20
S77	1	"6009271".pn. and (compil or bind or optimiz or convert or converting or convert$5 or generat$5 or transform$5 or translat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:21
S42	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 09:56
S79	2	"6567816".pn. and (increment or pointer or length or location or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:19
S80	2	"6567816".pn. and (increment or pointer or length or location or buffer or offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:45
S81	71	(location$1 with (communication near2 buffer)) and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:46
S83	1	"176092".ap. and (communication or buffer or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:51

S86	0	"176092".ap. and calcul$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52
S85	0	"176092".ap. and calculate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52
S84	0	"176092".ap. and calculat$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52
S82	66	(location$1 with (communication near2 buffer)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:55
S87	66	S82 and (locat$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:56
S88	66	S82 and (locate or locating or location or locations)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:59
S90	66	S82 and ((locate or locating or location or locations) with buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:00
S89	0	S82 and ((locate or locating or location or locations) with (buffer near2 communcation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:00

S92	66	S82 and ((locate or locating or location or locations) with (communication near3 buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:01
S91	66	S82 and ((locate or locating or location or locations) with (communication with buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:01
S93	17	S82 and ((locate or locating or location or locations) with (communication adj buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:07
S94	4	S93 and (calculat$5 with location$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:08
S78	2	"676800".ap. and (increment or pointer or length or location or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:26
S95	3	"676800".ap. and (handle or cursor or set or stored or procedure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:37
S96	2668	(stored adj procedure$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:38
S101	0	S100 and (handle near3 cursor$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39

S99	0	S97 and ((stored adj procedure$1)with (handle near2 cursor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39
S98	0	S97 and ((stored adj procedure$1)with (handle near2 cursor$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39
S10 2	4	S100 and cursor$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:40
S10 0	29	S97 and ((stored adj procedure$1)with handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:40
S10 5	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 06:09
S10 4	2	"5875334".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:12
S10 6	0	(sqlda with optimiz$5) and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:13
S10 9	2	"7092931".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:47

S10 8	21	S107 and optimiz$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:47
S11 0	2	"20050071346" and (stor$3 with bind?in)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:22
S11 4	2	"5875334".pn. and optimiz$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23
S11 3	0	"5875334".pn. and (stor$3 with optimiz$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23
S11 2	0	"5845334".pn. and optimi$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23
S11 1	0	"5845334".pn. and (stor$3 with optimiz$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23
S11 7	0	"58753345".pn. and insert$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 06:44
S11 8	1	"5875334".pn. and insert$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 07:04

S11 9	2	"6351742".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 08:20
S12 0	2	"5875334".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 10:40
S59	435	host adj variable$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 10:40
S12 1	20	(host adj variable$1) and 707/100. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 10:41
S12 2	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 09:32
S2	3	"448110".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 09:32
S12 3	1	"20050071346" and (conversion$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 09:33
S12 9	202	S128 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02

S12 8	514	(keyword or query) with (geographic adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S12 7	13	S125 and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S12 6	116	S125 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S12 5	358	S124 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S12 4	982	(query with geographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S8	42	S7 and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S13 4	10	S132 and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S13 3	5	S132 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03

S13 2	23	"L16" and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S13 1	10	S129 and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S13 0	64	S129 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S29	12	S28 and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S14 0	483	S138 and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S13 9	1291	S138 and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S13 8	2342	parameter$1 near2 binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S13 7	1	S135 and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04

S13 6	5	S135 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S13 5	13	search same (disable same override)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S44	1432	S43 and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S31	3	S30 and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S14 3	64	S141 and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05
S14 2	173	S141 and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05
S14 1	507	host adj variable$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05
S60	331	S59 and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05

S146	7	"5875334".uref. and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06
S145	4	"5875334".uref. and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06
S144	7	"5875334".uref. and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06
S71	27	"5875334".uref. and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06
S152	64	(host adj variable$1) and @prad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S151	169	(host adj variable$1) and @rlad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S150	445	S148 and @prad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S149	1014	S148 and @rlad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07

S14 8	3593	(stored adj procedure$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S10 3	314	(host adj variable$1) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S97	1809	S96 and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S15 7	1	(sqlda with insert$3) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S15 6	1	(sqlda same insert$3) and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S15 5	7	(sqlda same insert$3) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S15 4	5	sqlda and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S15 3	12	sqlda and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08

S11 6	10	(sqlda same insert$3) and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S11 5	2	(sqlda with insert$3) and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S10 7	32	sqlda and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S16 0	62	S150 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:09
S15 9	65	S151 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:09
S15 8	0	(sqlda with insert$3) and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:09
S16 2	16	S139 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:10
S16 1	65	S142 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:10

S16 4	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:33
S16 6	1	"20050071346" and (computer same readable same (medium or media))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:43
S16 5	2	"20050071346" and (carrier or wave$1 or signal$1 or (manufacture with article with program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:43
S16 7	2	"20030163447"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 09:51
S1	1563429	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 09:51
S16 3	534	(keyword or query) with (geographic adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 15:16
S16 8	3	"6401083".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 15:19
S17 0	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 15:47

EAST Search History

S17 1	1	"20050071346" and (((section$1 with number$1) same (structure or statement)) or (section$1 with number$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:09
S17 2	8	"272691".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:27
S17 3	8	"275896".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:36
S17 4	5	"677159".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:37
S14 7	4	"5875334".uref. and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:05
S17 5	279	(sql and statement$1 and (section near5 (number$1 or index$3 or indices or id or identification$1))) and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:07
S17 7	167	(sql and statement$1 and (section near5 (number$1 or index$3 or indices or id or identification$1)) and (compar$3 or matching) and (optimiz$5)) and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:09
S17 9	167	S177 and (section with (number$1 or index$3 or id$1 or identification$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:10

S17 8	0	S177 and (statement with section with (number$1 or index$3 or id$1 or identification$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:10
S17 6	256	(sql and statement$1 and (section near5 (number$1 or index$3 or indices or id or identification$1)) and (compar$3 or matching)) and @rlad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:14
S18 3	1	"6985904".pn. and number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28
S18 2	0	"6985904".pn. and section$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28
S18 1	2	"6985904".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28
S18 0	8	S176 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28
S18 4	24331037	(statement$1 with section$1 with number$1) @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:29
S5	99	S4 and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:29

S18 5	24330935	(statement$1 with (section$1 near3 number$1)) @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:30
S18 7	10	S186 and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2007/12/06 17:58
S18 9	1	"20020129035" and (section$ near3 number$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:09
S18 8	2	"20020129035"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:09
S18 6	55	(statement$1 with (section$1 near3 number$1))and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:10
S19 1	1127	(structure$1 near6 (section$1 near3 number$1)) and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:11
S19 0	1127	(structure$1 near6 (section$1 near3 number$1))and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:11
S19 4	7	((data near3 structure$1) near6 (section$1 near3 number$1)) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:12

EAST Search History

S19 5	0	S192 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:14
S19 6	10	S192 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:15
S19 8	162	(structure$1 near4 (section$1 near2 number$1)) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:16
S19 7	232	(structure$1 near6 (section$1 near2 number$1)) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:16
S19 2	347	(structure$1 near6 (section$1 near3 number$1)) and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:16
S19 9	8	"164477".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:09
S16 9	2	"6351742".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:09
S20 0	2	"20060112130" and (search$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:10

EAST Search History

S20 2	0	"20060112130" and (user with need with rule$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:11
S20 1	0	"20060112130" and (assign$3 with activity with rule$!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:12
S20 3	0	"20060112130" and (assign$3 with activity with rule$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 12:22
S20 5	2	"20020129035"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 12:50
S20 4	2	"6985904".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 12:50